

S2	6	((determin4 or identif\$5 or detect\$4 or calculat\$4 or estimat\$4 or measur\$5)near6 (number near4 (command or instruction)))same(buffer near4 queue\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 11:48
S3	2	(characteristic\$1 or activit\$3 or busy or idle)near6 ((number near4 (command or instruction)))same(buffer near4 queue\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:19
S4	29	(operati\$4 or process\$4 or perform\$4)with ((number near4 (command or instruction)))same(buffer near4 queue\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 11:54
S5	10664	((power or energy)near6 (consumption or consum\$5 or sav\$4 or reduc\$4 or optimiz\$4 or minimiz\$5 or switch\$4 or alter\$5))with (characteristic or (number near4 (command or instruction)))same(buffer near4 queue\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:25
S6	2186	((power or energy)near6 (consumption or consum\$5 or sav\$4 or reduc\$4 or optimiz\$4 or minimiz\$5 or switch\$4 or alter\$5))with (system near3 (performance or activity or characteristic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 17:04
S7	1	S6 same (pending near3 (instruction or command))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:29
S8	80	S6 and (((rate near6 buffer)or pending or type) near3 (instruction or command))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:50
S9	2	S6 same (((rate near6 buffer)or pending or type) near3 (instruction or command))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:31

S10	120	((operati\$4 or system or process\$4)near4 (characteristic\$1 or activity or performance))with (((rate near6 buffer)or pending or type) near3 (instruction or command))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:53
S11	6	S10 same ((power or energy)near4 (consum\$5 or conserv\$5 or sav\$4 or utiliz\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:39
S12	21	S10 and ((power or energy)near4 (consum\$5 or conserv\$5 or sav\$4 or utiliz\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:39
S13	0	ll5 same (((rate near6 buffer)or pending or type) near3 (instruction or command))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:08
S14	2	S5 and (((operati\$4 or system or process\$4)near4 (characteristic\$1 or activity or performance))with (((rate near6 buffer)or pending or type) near3 (instruction or command)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:56
S15	22	((switch\$4 or alter\$4 or chang\$4 or adjust\$4)near6((power or energy)near3 (mode or state)))with (operati\$4 near4 characteristic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:14
S16	1	S5 same (((rate near6 buffer)or pending or type) near3 (instruction or command))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:10
S17	15	((switch\$4 or alter\$4 or chang\$4 or adjust\$4)near6((power or energy)near3 (mode or state)))with ((process\$4 or system or cpu) near4 characteristic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:19

S18	1402	(determin\$4 or detect\$4 or monitor\$4)near6 ((instruction\$1 or command\$1 or operand)near4 queue\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:22
S19	128	S18 with buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:23
S20	41	S18 with (instruction near2 buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:23
S21	0	S20 same (power or energy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:23
S22	10	S20 and (power or energy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:24
S23	1	"6845472".pn.	USPAT	OR	OFF	2005/01/24 09:21
S24	10	((buffer or register)near4 (monitor\$4 or observ\$4))with ((pending or queued) near5 (instruction\$1 or request\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 09:37
S25	3	S24 and power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 09:41
S26	8	S24 and (clock or frequency or rate or speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 09:39

S27	21	((buffer or register)near4 (monitor\$4 or observ\$4))with ((pending or queued) near5 (instruction\$1 or request\$1 or command))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 09:38
S28	124	((buffer or register)with (monitor\$4 or observ\$4))same ((pending or queued) near5 (instruction\$1 or request\$1 or command))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 10:05
S29	15	S27 and ((switch\$4 or alter45 or chang\$4 or adjust\$4 or modif\$5)near5 (clock or frequency or rate or speed or state or mode or characteristic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 09:40
S30	83	S28 and ((switch\$4 or alter45 or chang\$4 or adjust\$4 or modif\$5)near5 (clock or frequency or rate or speed or state or mode or characteristic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 10:14
S31	13	S27 and power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 09:42
S32	73	S30 and power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 09:50
S33	17	S30 and (power near5 (mode or state))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 09:51
S34	773	((buffer or register)with (monitor\$4 or observ\$4 or idenf\$5 or determin\$4 or detect\$4))same ((pending or queued) near5 (instruction\$1 or request\$1 or command))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 10:06

S35	7	((characteristic or mode or state)near4 (based or depend\$4 or respons\$4))same (((buffer or register)with (monitor\$4 or observ\$4 or identif\$5 or determin\$4 or detect\$4))same ((pending or queued) near5 (instruction\$1 or request\$1 or command)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 10:10
S36	6	S28 same ((switch\$4 or alter45 or chang\$4 or adjust\$4 or modif\$5)near5 (clock or frequency or rate or speed or state or mode or characteristic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 11:45
S37	27	S34 same ((switch\$4 or alter45 or chang\$4 or adjust\$4 or modif\$5)near5 (clock or frequency or rate or speed or state or mode or characteristic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 10:55
S38	2468	((ram or (system near3 memory) or cache or buffer)near5 (full\$4 or utiliz\$5 or us\$3))same (power near4 (consumption or state or mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 11:44
S39	892	((ram or (system near3 memory) or cache or buffer)near5 (full\$4 or utiliz\$5 or us\$3))with (power near4 (consumption or state or mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 11:44
S40	244	S38 same ((switch\$4 or alter45 or chang\$4 or adjust\$4 or modif\$5)near5 (clock or frequency or rate or speed or state or mode or characteristic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 11:47
S41	73	S39 same ((switch\$4 or alter45 or chang\$4 or adjust\$4 or modif\$5)near5 (clock or frequency or rate or speed or state or mode or characteristic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:29
S42	0	S40 and(((determin46 or identif\$5 or detect\$4 or calculat\$4 or estimat\$4 or measur\$5)near6 (number near4 (command or instruction or request)))same(buffer near4 queu\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 11:49

S43	0	S41 and (((determin46 or identif\$5 or detect\$4 or calculat\$4 or estimat\$4 or measur\$5)near6 (number near4 (command or instruction or request))))same(buffer near4 queu\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 11:52
S44	2	S38 and (((determin46 or identif\$5 or detect\$4 or calculat\$4 or estimat\$4 or measur\$5)near6 (number near4 (command or instruction or request))))same(buffer near4 queu\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 11:54
S45	0	S41 and (((number near4 (command or instruction or request))))same(buffer near4 queu\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 11:52
S46	2	S38 and ((operati\$4 or process\$4 or perform\$4)with ((number near4 (command or instruction))same(buffer near4 queu\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 12:03
S47	427	(buffer near4 monitor\$4)with status	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:57
S48	0	S47 same (pending near3 instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:56
S49	0	S47 and (pending near3 instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:31
S50	156	buffer with(pending near3 instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:31

S51	82	S50 and ((monitor\$4 or observ\$4 or calculat\$4 or determin\$4 or detect\$4)with status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:33
S52	11	S50 and (((monitor\$4 or observ\$4 or calculat\$4 or determin\$4 or detect\$4)with (buffer near3 (full\$4 or empty or status))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:52
S53	4	S52 and power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:35
S54	123	((power or energy) near4 (conserv\$5 or sav\$4 or reduc\$5 or switch\$4 or alter\$5))with (buffer near3 (status or mode or fullness))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:54
S55	123	((power or energy) near4 (conserv\$5 or sav\$4 or reduc\$5 or switch\$4 or alter\$5))with (buffer near3 (status or mode or fullness or statistic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:54
S56	1	S55 same (pending near3 instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:58
S57	8	((monitor\$4 or track\$4)with (buffer near3 status))same (instruction near2 buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 15:01
S58	2	S55 same ((monitor\$4 or track\$4)with (buffer near3 status))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 15:06

S59	2	S55 and ((monitor\$4 or track\$4)with (buffer near3 status))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 15:08
S60	44	((instruction or command)near2 buffer)with ((monitor\$4 or track\$4 or observ\$4 or detect\$4)near3 (status or fullness or pending or statistic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 17:02
S61	95	(fullness near3 monitor\$4)with buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 17:03
S62	3	S61 and ((power or energy)near6 (consumption or consum\$5 or sav\$4 or reduc\$4 or optimiz\$4 or minimiz\$5 or switch\$4 or alter\$5))with (system near3 (performance or activity or characteristic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 17:05
S63	12	S61 and ((power or energy)near6 (consumption or consum\$5 or sav\$4 or reduc\$4 or optimiz\$4 or minimiz\$5 or switch\$4 or alter\$5 or state or mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 17:06
S64	277	(monitor\$4 or track\$4 or record\$4)near6 (pending near2 (instruction or command or request))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 10:03
S65	1	S64 same (power near3 (sav\$4 or conserv\$4 or consum45 or reduc\$5 or minimiz\$4 or optimiz\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 07:09
S66	1	S64 same ((power or energy) near3 (sav\$4 or dissipat\$4 or conserv\$4 or consum45 or reduc\$5 or minimiz\$4 or optimiz\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 07:11

S67	24	S64 and ((power or energy) near3 (sav\$4 or dissipat\$4 or conserv\$4 or consum45 or reduc\$5 or minimiz\$4 or optimiz\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 07:21
S68	11	((power or energy) near3 (sav\$4 or dissipat\$4 or conserv\$4 or consum45 or reduc\$5 or minimiz\$4 or optimiz\$4))near6 (buffer near3 (status or statistic or threshold))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 07:36
S69	7	((power or energy) near3 (sav\$4 or dissipat\$4 or conserv\$4 or consum45 or reduc\$5 or minimiz\$4 or optimiz\$4))near6 (buffer near3 (status or statistic or fullness or empty))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 07:52
S70	4	((power or energy) near3 (sav\$4 or dissipat\$4 or conserv\$4 or consum45 or reduc\$5 or minimiz\$4 or optimiz\$4))near6 (buffer near5 (fullness or empty))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 07:49
S71	0	((power or energy) near3 (sav\$4 or dissipat\$4 or conserv\$4 or consum45 or reduc\$5 or minimiz\$4 or optimiz\$4))near6 (buffer near5 (pending near3 (instruction or command or request)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 07:50
S72	0	((power or energy) near3 (sav\$4 or dissipat\$4 or conserv\$4 or consum45 or reduc\$5 or minimiz\$4 or optimiz\$4))near6 (buffer near5 (pending adj3 (instruction or command or request)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 07:51
S73	1	((power or energy) near3 (sav\$4 or dissipat\$4 or conserv\$4 or consum45 or reduc\$5 or minimiz\$4 or optimiz\$4))same (buffer near5 (pending adj3 (instruction or command or request)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 07:51
S74	37	((power or energy) near3 (sav\$4 or dissipat\$4 or conserv\$4 or consum45 or reduc\$5 or minimiz\$4 or optimiz\$4))and (buffer near5 (pending adj3 (instruction or command or request)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 07:51

S75	33	S74 and (buffer near3 (status or statistic or threshold or fullness or empty))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 07:58
S76	13	S74 and (buffer near3 (status or statistic or threshold or fullness))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 07:58
S77	1	"5345569".pn.	USPAT	OR	OFF	2005/01/25 09:20
S78	1	"5420808".pn.	USPAT	OR	OFF	2005/01/25 09:23
S79	1	"5452401".pn.	USPAT	OR	OFF	2005/01/25 09:25
S80	1	"5465373".pn.	USPAT	OR	OFF	2005/01/25 09:26
S81	1	"5491829".pn.	USPAT	OR	OFF	2005/01/25 09:27
S82	1	"5494419".pn.	USPAT	OR	OFF	2005/01/25 09:30
S83	1	"6587202".pn.	USPAT	OR	OFF	2005/01/25 12:03
S84	4	((identif\$5 or determin\$4 or detect\$4)near3 (performance or (operati\$4 near2 characteristic)))with (((based or respons\$4 or depend\$4)near3 (number adj4 (command or request or instruction))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 10:32
S85	1	((identif\$5 or determin\$4 or detect\$4)near3 (idle or inactive or activity))with (((based or respons\$4 or depend\$4)near3 (number adj4 (command or request or instruction))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 10:35
S86	15	((idle or inactive or activity or ((reduc\$4 or low\$3)near3 power)))with (((based or respons\$4 or depend\$4)near3 (number adj4 (command or request or instruction))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 10:41
S87	0	S86 same (instruction near3 buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 13:21
S88	0	S86 and (instruction near3 buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 10:38

S89	0	S86 same (buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 10:39
S90	0	S86 same (register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 10:39
S91	324	((instruction or command or request) near3 (buffer or register or memory or storage or ram))with ((power or energy)near4 (sav\$4 or conserv\$5 or optimiz\$4 or reduc\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 10:44
S92	6	S91 same (number\$1 near6 (queued or pend\$4 or buffer\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 15:06
S93	59	S91 same (instruction\$1 near6 (queued or pend\$4 or buffer\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 11:11
S94	5	S91 same ((number adj3 instruction\$1) near6 (queued or pend\$4 or buffer\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 10:49
S95	2	((operati\$4 near3 characteristic)with (number near3 (command or request or instruction)))same buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 11:26
S96	1	((operati\$4 near3 characteristic)with ((type or kind) near3 (command or request or instruction)))same buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 11:27

S97	10	((operati\$4 near3 characteristic)same ((type or kind) near3 (command or request or instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 11:28
S98	1	"5420808".pn.	USPAT	OR	OFF	2005/01/25 12:03

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((selecti\$5 or adapt\$5)near4 (chang\$4 or alter\$4 or multiplex\$4))with ((number near3 bit\$1)near6 multimedia)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 13:28
L2	2	((chang\$4 or alter\$4 or multiplex\$4 or switch\$4)near6 (number near3 bit\$1))with (multimedia near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 13:37
L3	17360	(initiat\$5 or activat\$4 or enabl\$4)near4 ((power or energy)near3 (conserv\$5 or sav\$4 or reduc\$5 or lower\$4 or optimiz\$4 or minimiz\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 13:41
L4	10	I3 with (buffer near4 (status or fullness or stat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 13:46
L5	20	I3 same (buffer near4 (status or fullness or stat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 13:51
L6	14	I3 same (buffer near2 (status or fullness or stat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 13:46
L7	9	I3 same ((buffer or storage or ram) adj3 (status or fullness or stat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 14:15
L8	1	I3 same ((buffer or storage or ram) adj3 (status or fullness))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 13:52

L9	793	(PDA or handheld or portable)with((video or mpeg)near3 process\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 14:08
L10	242	(PDA or handheld or (personal near3 assistant))with((video or mpeg)near3 process\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 14:09
L11	5	l10 same ((power or energy) near4 (conserv\$5 or sav\$4 or lower\$4 or reduc\$4 or minimiz\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 14:11
L12	10	l9 same ((power or energy) near4 (conserv\$5 or sav\$4 or lower\$4 or reduc\$4 or minimiz\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 14:15
L13	113	l9 and ((power or energy) near4 (conserv\$5 or sav\$4 or lower\$4 or reduc\$4 or minimiz\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 14:15
L14	6	l13 and ((buffer or storage or ram) adj3 (status or fullness or stat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 14:16
L17	3	(((((power or energy)near2 module)near3 (track\$4 or monitor\$4))with (number\$1 near5 (instruction or request or command))))same (buffer or ram)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 15:09
S1	626	(determin\$4 or identif\$5 or detect\$4 or calculat\$4 or estimat\$4 or measur\$5)near6 (buffer near4 queu\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:06